

## CONTENTS

### 【Session 1 Case Studies of Flood and Sediment Disasters】

1. THE FLOOD OF THE KUMA RIVER IN HEAVY RAIN OF JULY 2020 AND THE GEOGRAPHICAL CONDITIONS OF SHRINES . . . . . 1  
Takahito KUROKI
2. CAUSED BY THE 2011 KII PENINSULA DISASTER OF TWO LANDSLIDE DAMS IN THE NAGATONO AND KURIDAIRA AREA RELATIONSHIP BETWEEN DIFFERENCE OF HYDROLOGICAL CHARACTERISTICS AND THE EASE OF OVERFLOW . . . . . 7  
Noriko TADAKUMA, Soichi KAIHARA, Atsuhiko KINOSHITA, Tomohiro FURUE, Gaku KITAMOTO, Megumi KOSUGI and Takao YAMAKOSHI
3. FLOOD AND SEDIMENT DISASTERS IN ASHIKITA AND TSUNAGI TOWN, KUMAMOTO PREFECTURE IN 2020 . . . . . 13  
Haruyuki HASHIMOTO and Shuma MORIYAMA

### 【Session 2 Slope Failure; Factor Analysis】

4. SURVEY OF DAMAGED SURFACE FAILURE PREVENTION WORKS -STUDY OF ISSUES IN STEEP SLOPES MANAGEMENT- . . . . . 19  
Yoichi HASEGAWA, Takanori OJIMA, Hiroaki NAKAYA and Naoki YUSA
5. COMBINED SHEARING BOX AND CONTINUOUS PRESSURIZATION SYSTEM TO DETERMINE THE UNSATURATED SOILS STRENGTH USING NORMAL STRESS SUPERPOSITION . . . . . 25  
Tomoki SAGARA, Adel ALOWAISY , Noriyuki YASUFUKU, Ryohei ISHIKURA, Masanori HATAKEYAMA and Shuu KYONO
6. DEFORMATION AND STRENGTH PROPERTIES OF SOIL BY STATIC AND DYNAMIC LOADING RING SHEAR TESTS TO SIMULATE EARTHQUAKE-INDUCED LANDSLIDE . . . . . 31  
Rota FUJII, Motoyuki SUZUKI and Kazuma KAMIUSE
7. STUDY ON CALCULATION METHOD OF SEEPAGE FORCE IN THE INFINITE SLOPE METHOD CONSIDERING UNSATURATED SEEPAGE . . . . . 37  
Daisuke TSUKAMOTO Kazunari SAKO Shinichi ITO
8. SLAKING AND STRENGTH CHARACTERISTICS OF LANDSLIDE-LIKE FAILURE OF CUT SLOPE IN THE KANMON-GROUP DISTRIBUTION AREA . . . . . 43  
Hayato KOSAKA, Motoyuki SUZUKI, Kazuaki SUEISHI, Yuki OSAKA
9. CHARACTERISTICS OF CONSTANT VOLUME CYCLIC DIRECT BOX SHEAR TESTS ON TA-D TEPHRA LAYERS SAMPLED FROM DIFFERENT PLACES CAUSED BY 2018 HOKKAIDO EASTERN IBURI EARTHQUAKE . . . . . 49  
Yuki OKAWARA, Satoshi GOTO, Shuji OBATA, Keyu CHEN, Satoshi ISHIMARU, Hiromichi KOYASU and Naoki WATANABE
10. IMPACT FACTORS AND RELATIVE INFLUENCE TO LANDSLIDES OCCURRENCE CAUSED BY POST-QUAKE RAINFALL : AN ANALYSIS OF ASO OUTER RING AREA AFTER KUMAMOTO EARTHQUAKE . . . . . 53  
Yuki USHIRONE, Soichi KAIHARA, Hiroaki NAKAYA, Yusuke SAKAI, Shigetaka TAKIGUTI, Atsuhiko KINOSHITA, Gaku KITAMOTO, Megumi KOSUGI and Satoshi YAMAMOTO

### 【Session 3 Slope Failure; Prediction Method】

11. SIGNIFICANCE OF SLOPE FAILURE HAZARD ASSESSMENT USING FRACTURE STRUCTURE AS AN INDICATOR . . . . . 59  
Tatsuro YOSHIMURA and Takeshi TERUIATA
12. A CONSIDERATION ON DEVELOPMENT AND GEOGRAPHICAL EVALUATION OF SLOPE FAILURE INDEX DUE TO CHANGES OF SOIL MOISTURE . . . . . 65  
Honoka ASADA and Kohei ARAKI
13. ANALYSING SLOPE STABILITIES IN JAPANESE CEDAR FOREST CONSIDERING BOTH STAND-GROWTH AND ROOT-DECAY . . . . . 71  
Yasuhiko OKADA and Ushio KUROKAWA

14.	ACCURACY EVALUATION OF WIDE-AREA SLOPE FAILURE PREDICTION COMBINING MACHINE LEARNING AND PHYSICAL MODEL . . . . .	77
	Tatsuhiko SAKAMOTO, Kiyonobu KASAMA and Zentaro FURUKAWA	
15.	CONSTRUCTION OF GROUNDWATER REGRESSION MODEL WITH RNN AND CONSIDERATION ON INFLUENCE OF INPUT DATA . . . . .	83
	Taisei FUETA, Shinichi ITO, Kazunari SAKO and Kazuhiro ODA	
16.	STUDY ON THE SOIL REINFORCEMENT EFFECT AND BIOELECTRIC POTENTIAL OF CEDAR ROOTS IN BOX SHEAR TEST . . . . .	89
	Kodai MATSUDA, Kiyonobu KASAMA, Zentaro FURUKAWA and Yuichi YAHIRO	

**【Session 4 Experiments and Numerical Modeling】**

17.	FLUME EXPERIMENTS AND NUMERICAL SIMULATIONS ON DEPOSITION PROCESSES OF LARGE WOOD IN DEBRIS FLOWS . . . . .	95
	Takuro SUZUKI, Takayuki KENMOTSU, Haruka TSUNETAKA and Shiho ASANO	
18.	STUDY FOR NUMERICAL ANALYSIS OF DEBRIS FLOWS DUE TO SLASH AVALANCHE AT MT. FUJI . . . . .	101
	Satoshi GOTO, Takashi KITAZUME and Yukari SEKI	
19.	EXAMINATION OF LONG-TERM TOPOGRAPHICAL CHANGES IN THE OTOISHI RIVER BASIN BY SIMULATION . . . . .	107
	Hiro IKEMI and Mio TAKAHASHI	

**【Session 5 Structural Countermeasures】**

20.	EXPERIMENTS ON THE STRUCTURE OF A PERMEATION TYPE DAM IN A NON-FLOWING MOUNTAIN STREAM . . . . .	113
	Norio HARADA, Yoshifumi SATOFUKA and Takahisa MIZUYAMA	
21.	STUDY OF SLOPE PROTECTION EFFECT OF NATURAL VEGETATION RECOVERY PROMOTION TYPE MAT INCORPORATED WITH SOIL ALGAE . . . . .	119
	Aki MATSUMOTO, Mineto TOMISAKA, Tetsushi OZEKI and Kohei ARAKI	
22.	OBSERVATIONS AND ANALYSIS OF VERTICAL ONE DIMENSION SEEPAGE FLOW PHENOMENON . . . . .	125
	Koichi TSUBOGO, Kohei ARAKI, Yasushi FUKUDA, Keiji KUWAJIMA, Kosuke KATAYAMA and Shunji UE	
23.	EXPERIMENT ON THE EFFECTIVE USING DRIFTWOOD CATCHMENT OF HORIZONTAL BEAM STRUCTURE . . . . .	131
	Toshiyuki Horiguchi, Kanako KOIZUMI, Kiyoka NAKATA and Daizo TUTUMI	
24.	A STUDY ON THE EFFECT OF SEEDING WORKS WITH HERBACEOUS PLANTS AGAINST CONCENTRATED FLOW AT THE EARLY PHASE SLOPE REVEGETATION . . . . .	137
	Takuya MASAMOTO, Kazunari SAKO and Shinichi ITO	
25.	EXAMINATION OF INFLUENCE OF DRIFTWOOD FLOW CONDITION ON LOADS ACTING ON HANGOVER-TYPE DRIFTWOOD CATCHMENT . . . . .	143
	Daiki WATANABE, Toshiyuki Horiguchi and Koji IIZUKA	
26.	PROPOSAL OF EXAMINATION METHOD OF FACILITY LAYOUT TO SEDIMENT AND FLOOD DAMAGE CONSIDERING DRIFTWOOD AND RAINFALL-RUNOFF . . . . .	149
	Yusuke KOBAYASHI, Hideto TAMAKI, Katsumi MORI, Keisuke KIMURA, Takaharu OCHI and Mitsuhiro MORI	
27.	COMPARISON OF WATER FLOW AND FINE-GRAINED SEDIMENT TRANSPORT CAPACITIES BETWEEN FRP AND CONCRETE GUTTERS . . . . .	155
	Minari SUGIYASU, Yukihiro IEHISA, Tatsuhiko UCHIDA, Hiroyuki SUZUKI, Hirokuni FUJIOKA, Naoya NISHIDA and Takuya INOUE	
28.	EXPERIMENTAL STUDY INTO THE CHARACTERISTICS OF LAVA FLOW CIRCUMVENTING THE STRUCTURE ON THE FLAT PLATE . . . . .	161
	Atsuya IKEMOTO, Hiroyuki NAGANO, Hayata YANAGIHARA, Yohei MOGI, Yosuke NISHIO and Toshiaki SATO	
29.	EXPERIMENTAL STUDY ON THE INFLUENCE OF SABO DAM TYPES ON THE CHARACTERISTICS OF LAVA FLOW . . . . .	167
	Yohei MOGI, Hiroyuki NAGANO, Atsuya IKEMOTO, Hayata YANAGIHARA, Yosuke NISHIO and Toshiaki SATO	

**【Session 6 Monitoring Techniques and Field Investigation】**

30. CONSTRUCTION OF SEDIMENT DISASTER IDENTIFICATION MODEL USING CNN BASED ON SAR IMAGES AND TOPOGRAPHICAL CHARACTERISTICS . . . . . 173  
Hiromu FUJITO, Shinichi ITO, Naoki IWATA, Kazuki KANOSE, Norikazu SHIMIZU and Kazunari SAKO
31. CHARACTERISTICS OF GROUNDWATER LEVEL VARIATION IN SUBSURFACE AND BEDROCK LAYERS ON MOUNTAINOUS SLOPE . . . . . 179  
Shinnosuke SASATANI, Tatsuhiko UCHIDA, Takuya INOUE, Misako HATONO, Akihito KAJI, Junji KOMORI, Hideki MITATA and Masahiro KAIBORI
32. SEDIMENT TRANSPORT DETECTION METHOD USING BED-ROAD SEDIMENT TRANSPORT OVSERBATION IN THE KUMANO AND HIKI RIVER BASIN . . . . . 185  
Gaku KITAMOTO, Megumi KOSUGI, Atsuhiko KINOSHITA, Kazuyuki OKANO, Seiji IMOTO, Yuka YOSHIYASU, Makoto INOMOTO, Masayuki TAKISAWA, Hisayoshi TAKEISHI and Kokoro SUZUKI
33. STUDY OF ESTIMATION METHODS OF THE RAINFALL INTENSITY BASED ON CAMERA IMAGES BY THE ARTIFICIAL RAINFALL EXPERIMENTS . . . . . 191  
Atsuhiko KINOSHITA, Soichi KAIHARA, Shinji IBUKA, Gaku KITAMOTO, Hiroaki NAKAYA and Akito KANAZAWA
34. RESEARCH REPORT OF METHOD FOR ESTIMATING THE AMOUNT OF SEDIMENT PRODUCED BY THE COLLAPSE INCLUDES COLLUVIAL DEPOSITS IN THE COLLAPSED AREA . . . . . 197  
Yu Yamada, Yusuke SAKAI and Takao YAMAKOSHI

**【Session 7 Assessment of Hazard and Risk/Warning】**

35. HAZARD MAPPING FOR SLOPE FAILURE CONSIDERING EFFECTIVE PRECIPITATION BY SPATIAL ANALYSIS USING GIS . . . . . 203  
Takuto MATSUURA, Masanari URATA and Toshifumi MUKUNOKI
36. CASE STADIES OF THREE-DIMENSIONALIZATION FOR DISASTER PREVENTION MAPS BY REGIONAL COLLABORATIONS . . . . . 209  
Naozo FUKUDA, Toshihiro YASUNAGA, Tatsuki SATOH, Nobuo KIKU Hiroshi HIRATA and Hiromi YAMADO
37. STUDY ON WATER QUALITY FORMATION MECHANISM OF MOUNTAIN STREAM WATER IN THE NACHI RIVER TRIBUTARY BASIN WHERE THE GEOLOGICAL BOUNDARY EXISTS AND ITS APPLICABILITY FOR DETECTION OF SHALLOW LANDSLIDE . . . . . 215  
Wataru TAKESHITA, Takakuni TATSUMI, Kouhei TOYOFUKU, Makoto MATSUZAWA, Gaku KITAMOTO and Atsuhiko KINOSHITA
38. AN ATTEMPT OF THE SEDIMENT DISASTER PREVENTION EDUCATION BY DIGITAL CONTENTS AT HIDAKAGAWA TOWN, WAKAYAMA PRIFECTURE . . . . . 221  
Akihiro KISHIHATA, Osamu TSUJIHARA, Kazuki NISHIHAGI, Yoshiyuki SUZUKI, Shu TSUYUMINE, Kenji INADA, Kazuo TSUTSUI, Takahiro ARITA
39. STUDY ON LAND USE CHANGE AND DISASTER PREVENTION MEASURES BY CONSERVATION OF SATOYAMA IN SEDIMENT DISASTER RISK AREA : CASE STUDY IN SUWAGATA, INA CITY, NAGANO PREFECTURE . . . . . 227  
Misao HASHIMOTO and Norimitsu KOIKE
40. CONTOUR FIGURE TO REPRODUCE GRAND WATER LEVEL USING SEEPAGE ANALYSIS MODEL ESTIMATED BY DATA ASSIMILATION AND CONSIDERATION OF RAINFALL INDEX . . . . . 233  
Ryuji MIZUSHIMA, Shinichi ITO, Kazunari SAKO, Keigo KOIZUMI, and Kazuhiro ODA
41. CRITICAL RAINFALL FOR DEEP-SEATED LANDSLIDES USING PROBABLE RAINFALL . . . . 239  
Hiroaki TAKEMOTO, Gaku KITAMOTO, Megumi KOSUGI, Soichi KAIHARA Atsuhiko KINOSHITA and Hiroaki NAKAYA
42. EFFECT OF ANALYTICAL RANGE SIZE ON LANDSLIDE HAZARD: A CASE OF LANDSLIDE IN TAKI AREA, IZUMO, JAPAN . . . . . 245  
Masanori KOHNO